

Induction of functional Brm protein from Brm knockout mice

Supplementary Material

Supplemental table 1: qPCR primers

Gene	Forward primer (5')	Reverse primer (3')
<i>Brm</i>	5'-GCAGGAACGAGAGTACAGACTT-3'	5'-CGGTTGCTTTGGTGCGTAAA-3'
<i>Gapdh</i>	5'-CACTCTTCCACCTTCGATGC-3'	5'-GGGTGGTCCAGGGTTTCTTA-3'
<i>DDX58</i>	5'-AATATTCTGATTGCCACCTCAGTT-3'	5'-CACCAGCATTACTAGTCAGAAGGA-3'
<i>P8</i>	5'-ATAGCCTGGCCCATTCTAC-3'	5'-CCTCGCTTCTCCTCTCTGA-3'
<i>LGAL3</i>	5'-CATACTGGGAGAGGCTTCTGG	5'-CCCACTGGCCTCTGTAGAAGAT-3'
<i>CEACAM-1</i>	5'-CCCAGAATGACACAGGATTC-3'	5'-CCACCACAGGTAGGTTGTGT-3'
<i>BST2</i>	5'-AAGAAAGTGGAGGAGCTTGAGG-3'	5'-CGCTCAGAAGTATGAGATCAA-3'